

# Asthma Treatment Plan – Student

(This asthma action plan meets NJ Law N.J.S.A. 18A-40-12.8) (Physician's Orders)



(Please Print)

|        |                                 |                   |
|--------|---------------------------------|-------------------|
| Name   | Date of Birth                   | Effective Date    |
| Doctor | Parent/Guardian (if applicable) | Emergency Contact |
| Phone  | Phone                           | Phone             |

## HEALTHY (Green Zone) IIIII



You have *all* of these:

- Breathing is good
- No cough or wheeze
- Sleep through the night
- Can work, exercise, and play

And/or Peak flow above \_\_\_\_\_

**Take daily control medicine(s). Some inhalers may be more effective with a "spacer" - use if directed.**

| MEDICINE  | HOW MUCH to take and HOW OFTEN to take it  |
|---|--|
| <input type="checkbox"/> Advair® HFA <input type="checkbox"/> 45, <input type="checkbox"/> 115, <input type="checkbox"/> 230                        | _____ 2 puffs twice a day  |
| <input type="checkbox"/> Aerospir™  | <input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day   |
| <input type="checkbox"/> Alvesco® <input type="checkbox"/> 80, <input type="checkbox"/> 160   | _____ 1, <input type="checkbox"/> 2 puffs twice a day  |
| <input type="checkbox"/> Dulera® <input type="checkbox"/> 100, <input type="checkbox"/> 200   | _____ 2 puffs twice a day  |
| <input type="checkbox"/> Flovent® <input type="checkbox"/> 44, <input type="checkbox"/> 110, <input type="checkbox"/> 220                           | _____ 2 puffs twice a day  |
| <input type="checkbox"/> Qvar® <input type="checkbox"/> 40, <input type="checkbox"/> 80   | <input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day   |
| <input type="checkbox"/> Symbicort® <input type="checkbox"/> 80, <input type="checkbox"/> 160   | <input type="checkbox"/> 1, <input type="checkbox"/> 2 puffs twice a day   |
| <input type="checkbox"/> Advair Diskus® <input type="checkbox"/> 100, <input type="checkbox"/> 250, <input type="checkbox"/> 500                    | _____ 1 inhalation twice a day   |
| <input type="checkbox"/> Asmanex® Twisthaler® <input type="checkbox"/> 110, <input type="checkbox"/> 220  | <input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day |
| <input type="checkbox"/> Flovent® Diskus® <input type="checkbox"/> 50 <input type="checkbox"/> 100 <input type="checkbox"/> 250                     | _____ 1 inhalation twice a day   |
| <input type="checkbox"/> Pulmicort Flexhaler® <input type="checkbox"/> 90, <input type="checkbox"/> 180   | <input type="checkbox"/> 1, <input type="checkbox"/> 2 inhalations <input type="checkbox"/> once or <input type="checkbox"/> twice a day |
| <input type="checkbox"/> Pulmicort Respules® (Budesonide) <input type="checkbox"/> 0.25, <input type="checkbox"/> 0.5, <input type="checkbox"/> 1.0 | _____ 1 unit nebulized <input type="checkbox"/> once or <input type="checkbox"/> twice a day   |
| <input type="checkbox"/> Singulair® (Montelukast) <input type="checkbox"/> 4, <input type="checkbox"/> 5, <input type="checkbox"/> 10 mg            | _____ 1 tablet daily   |
| <input type="checkbox"/> Other _____  |  |
| <input type="checkbox"/> None   |  |

Remember to rinse your mouth after taking inhaled medicine.

If exercise triggers your asthma, take \_\_\_\_\_ puff(s) \_\_\_\_\_ minutes before exercise.

## CAUTION (Yellow Zone) IIIII



You have *any* of these:

- Cough
- Mild wheeze
- Tight chest
- Coughing at night
- Other: \_\_\_\_\_

If quick-relief medicine does not help within 15-20 minutes or has been used more than 2 times and symptoms persist, call your doctor or go to the emergency room.

And/or Peak flow from \_\_\_\_\_ to \_\_\_\_\_

**Continue daily control medicine(s) and ADD quick-relief medicine(s).**

| MEDICINE  | HOW MUCH to take and HOW OFTEN to take it      |
|---|--|
| <input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)  | _____ 2 puffs every 4 hours as needed          |
| <input type="checkbox"/> Xopenex®   | _____ 2 puffs every 4 hours as needed          |
| <input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg   | _____ 1 unit nebulized every 4 hours as needed |
| <input type="checkbox"/> Duoneb®  | _____ 1 unit nebulized every 4 hours as needed |
| <input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg | _____ 1 unit nebulized every 4 hours as needed |
| <input type="checkbox"/> Combivent Respimat®  | _____ 1 inhalation 4 times a day               |
| <input type="checkbox"/> Increase the dose of, or add:  |  |
| <input type="checkbox"/> Other _____  |  |

**\* If quick-relief medicine is needed more than 2 times a week, except before exercise, then call your doctor.**

## EMERGENCY (Red Zone) IIIII



Your asthma is getting worse fast:

- Quick-relief medicine did not help within 15-20 minutes
- Breathing is hard or fast
- Noise opens wide - Ribs wobble
- Trouble walking and talking
- Lips blue - Fingernails blue
- Other: \_\_\_\_\_

And/or Peak flow below \_\_\_\_\_

**Take these medicines NOW and CALL 911. Asthma can be a life-threatening illness. Do not wait!**

| MEDICINE  | HOW MUCH to take and HOW OFTEN to take it |
|---|---|
| <input type="checkbox"/> Albuterol MDI (Pro-air® or Proventil® or Ventolin®)  | _____ 4 puffs every 20 minutes            |
| <input type="checkbox"/> Xopenex®   | _____ 4 puffs every 20 minutes            |
| <input type="checkbox"/> Albuterol <input type="checkbox"/> 1.25, <input type="checkbox"/> 2.5 mg   | _____ 1 unit nebulized every 20 minutes   |
| <input type="checkbox"/> Duoneb®  | _____ 1 unit nebulized every 20 minutes   |
| <input type="checkbox"/> Xopenex® (Levalbuterol) <input type="checkbox"/> 0.31, <input type="checkbox"/> 0.63, <input type="checkbox"/> 1.25 mg | _____ 1 unit nebulized every 20 minutes   |
| <input type="checkbox"/> Combivent Respimat®  | _____ 1 inhalation 4 times a day          |
| <input type="checkbox"/> Other _____  |   |

## Triggers

Check all items that trigger patient's asthma:

- Colds/flu
- Exercise
- Allergens
  - Dust Mites, dust, stuffed animals, carpet
  - Pollen - trees, grass, weeds
  - Mold
  - Pets - animal dander
  - Pests - rodents, cockroaches
- Odors (Irritants)
  - Cigarette smoke & second hand smoke
  - Perfumes, cleaning products, scented products
  - Smoke from burning wood, inside or outside
- Weather
  - Sudden temperature change
  - Extreme weather - hot and cold
  - Ozone alert days
- Foods: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- Other: \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

This asthma treatment plan is meant to assist, not replace, the clinical decision-making required to meet individual patient needs.

Disclaimer: This is a standard form provided by the American Lung Association. It is not intended to be used as a substitute for professional medical advice. The American Lung Association is not responsible for any errors or omissions in this form. The American Lung Association is not responsible for any damages, including consequential damages, arising from the use of this form. The American Lung Association is not responsible for any damages, including consequential damages, arising from the use of this form. The American Lung Association is not responsible for any damages, including consequential damages, arising from the use of this form.

### Permission to Self-administer Medication:

- This student is capable and has been instructed in the proper method of self-administering of the non-nebulized inhaled medications named above in accordance with NJ Law.
- This student is *not* approved to self-medicate.

PHYSICIAN/APN/PA SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_  
Physician's Orders

PARENT/GUARDIAN SIGNATURE \_\_\_\_\_

PHYSICIAN STAMP